

To: Huetteman, Tom[Huetteman.Tom@epa.gov]; Meer, Daniel[Meer.Daniel@epa.gov]
Cc: Lyons, John[Lyons.John@epa.gov]
From: Manzanilla, Enrique
Sent: Wed 8/17/2016 11:51:41 PM
Subject: RE: Exide question

I think they've told us no, though I can't remember what that emergency action threshold is.

-----Original Message-----

From: Huetteman, Tom
Sent: Wednesday, August 17, 2016 4:23 PM
To: Manzanilla, Enrique <Manzanilla.Enrique@epa.gov>; Meer, Daniel <Meer.Daniel@epa.gov>
Subject: Re: Exide question

So DTSC can't bypass or expedite CEQA using some criteria for emergency action in these cases?

Tom Huetteman, Assistant Director
Land Division, EPA Region 9
415-972-3751

> On Aug 17, 2016, at 4:14 PM, Manzanilla, Enrique <Manzanilla.Enrique@epa.gov> wrote:
>

> For situational awareness....

>

> -----Original Message-----

> From: Meer, Daniel

> Sent: Wednesday, August 17, 2016 3:35 PM

> To: Patel, Suhasini@DTSC <Suhasini.Patel@dtsc.ca.gov>

> Cc: Manzanilla, Enrique <Manzanilla.Enrique@epa.gov>

> Subject: RE: Exide question

>

> Su - thanks very much for the quick turn around to my question. Best. Dan Meer

>

> Daniel A. Meer, Assistant Director

> Superfund Division

> Emergency Response, Preparedness and Prevention Branch

> 415.972.3132 (O)

> 415.971.6792 (C)

>

> -----Original Message-----

> From: Patel, Suhasini@DTSC [mailto:Suhasini.Patel@dtsc.ca.gov]

> Sent: Wednesday, August 17, 2016 3:33 PM

> To: Meer, Daniel

> Cc: Manzanilla, Enrique

> Subject: Re: Exide question

>

> Hi Dan and Enrique,

>

> We have identified 83 properties out of the 172 properties with children present that have soil lead concentration of >1200 ppm.

>

> Please let me know if you have any questions.

> Su

>

>

> Sent from my iPhone